

**Office of the President  
of the Philippines  
Malacañang**

**BID BULLETIN**

Pursuant to the Invitation to Bid published last August 1, 2015, in Business Mirror, in PhilGEPS, OP-website and three conspicuous places regarding the **Supply and Delivery of Nine Hundred Sixty Three (963) pcs. Office Uniforms for the Office of the President (OP) Employees** with Purchase Request (PR) No. 15-06-1152, please be informed that the Bids and Awards Committee (BAC) noted the recommendation of the End-user (OP Special Committee on Office Uniform) as to the amendments/changes to the Bidding Documents, as follows:


1. **Color of Lining** for Male blazers shall be black. For Female blazers, the color shall be off-white with charcoal gray thin vertical stripes (minimum width of stripe is 1/16" inch; maximum is 1/8").
2. The **material to be used for the lining** of both Male and Female blazers shall be **Suit lining**.
3. **Delivery period** shall be within Seventy-Five (75) calendar days from the date of receipt of the Notice to Proceed (NTP).
4. **Item Nos. 1 and 2, Other Requirements, Section VII. Technical Specifications** are clarified as follows: Bidders shall submit in their respective Technical Proposals, for the End-user's selection and approval: for the Male Blazers - three (3) sample fabric swatches for the main fabric and one (1) sample fabric swatch for the lining and for the Female blazers - three (3) sample fabric swatches for the main fabric and one (1) sample fabric swatch for the lining. All sample fabric swatches shall be properly labeled, uniformly sized at ¼ bond paper (8 1/2 x 11) and securely attached/fastened to A4 bond paper.
5. **Item # 4, Other Requirements, Section VII. Technical Specifications** is amended to read, as follows: *"One (1) week from receipt of Notice of Award (NOA), winning Bidder shall provide prototypes of Male and Female coat/blazer in Small, Medium and Large sizes for visual appreciation and inspection of the End-user for workmanship and quality of fabric. The prototypes shall be based on actual design and shall use the materials (fabric and lining) selected and approved by the End-user (OP Special Committee on Office Uniform or its designated representative) from the sample fabrics submitted by the Bidder."*  
**Actual measurements of all OP male and female employees covered by this Project shall be undertaken by skilled sewers/personnel (measurers) of the Bidder and shall follow the schedule to be prepared and disseminated by the End-user. Bidder shall assign at least two (2) measurers for male employees and two (2) for female employees for each day in the schedule of measurements. To facilitate this activity, Bidder shall closely coordinate**

with the OP Special Committee on Office Uniform or its designated representative.

The statement "Only in exceptional cases, as determined by the Committee and/or Bidders would actual measurements be taken." is **deleted**.

6. **Item No. 5, Other Requirements, Section VII. Technical Specifications is amended to read as follows:** "xxx Bidder shall allow for each employee, a one (1) time repair/alteration/replacement of defective coat/blaze, at no additional cost to OP or to the employee.
7. **Item # 7, Other Requirements, Section VII. Technical Specifications** is added and shall read, as follows: *Submitted sample swatches of offered fabric submitted in the Technical Proposal must be accompanied by a Laboratory Test Report on or certification (if applicable) issued by the Philippine Textile Research Institute (PTRI) as to the basic and performance characteristics of the fabric (pursuant to the PTRI-EUQAP).*
8. Female blazers shall have concealed shoulder pads, ¼ inch thick and made from quality materials (foam and encasing material) that are appropriate/suitable for office uniform blazers or coats.
9. Male blazers shall be fitted with standard-sized inside pocket on the left breast inside panel.

Please be guided accordingly.

  
**DES MENARDO I. GUEVARRA**  
Chairman, OP – Bids and Awards Committee

12 August 2015

GMB/MCC/  
OP-BAC

Refer 2011 - 1226 100 42334